

1/16




Fig. 1

2/16


WOUND HEALING IN PLG^{-/-} MICE TREATED WITH LBH106

Fig. 2

3/16


WOUND HEALING IN PLG^{-/-} MICE TREATED WITH LBH106

Fig. 3

4/16




Fig. 4

5/16

FIG. 5



Fig. 5

6/16


EFFECT OF PLASMIN INHIBITORS ON WOUND HEALING IN PLG^{+/+} MICE

Fig. 6

7/16


EFFECT OF PLASMIN INHIBITORS ON WOUND HEALING IN PLG^{+/+} MICE

Fig. 7

8/16

TIME CURVE FOR IN VIVO LOSS OF APROTININ FROM MOUSE PLASMA




Fig. 8

9/16


EFFECT OF TWO DOSE SCHEDULES OF PLASMIN INHIBITORS
ON WOUND HEALING IN C57B16J MICE

Fig. 9

10/16


EFFECT OF TWO DOSE SCHEDULES OF PLASMIN INHIBITORS
ON WOUND HEALING IN C57BI6J MICE

Fig. 10

11/16


EFFECT OF PROTEASE INHIBITORS ON
WOUND HEALING IN C57/BL6J MICE

Fig. 11

12/16


EFFECT OF PROTEASE INHIBITORS ON
WOUND HEALING IN C57/BI6J MICE

Fig. 12

13/16




Fig. 13

Fig. 13

14/16




Fig. 14

Fig. 14

15/16

LEWIS LUNG TUMOR : SURVIVAL CURVES




Fig. 15

MDA-MB-231 tumor xenograft




Fig. 16